HTML5 Client: Using two languages

By default the HTML5 client tries to recognize browsers default language and then use it inside RDP session. This behavior is controlled by tag "asbrowser" However you may find the full list of available language tags in http://***your server***/software/language.html under "Locale"

You have the choice to set fixed language either A: per client directly from HTML5 top menu.

	Language	Locale	Value
0	Portal	as_portal	
Ο	Browser	as_browser	
Ο	Gateway	as_gateway	
\bigcirc	Arabic	ar_ar	1025
000000000000	Arabic (Algeria)	ar_dz	5121
\bigcirc	Assamese	as_as	1101
\bigcirc	Azeri (Cyrillic)	az_cy	2092
\bigcirc	Azeri (Latin)	az_lt	1068
\bigcirc	Belarusian	be_be	1059
\bigcirc	Bulgarian	bg_bg	1026
\bigcirc	Bengali	bn_bn	1093
\bigcirc	Tibetan	bo_bo	1105
\bigcirc	Bosnian (Cyrillic)	bs_cy	8218
00000	Bosnian (Latin)	bs_lt	5146
\bigcirc	Catalan	ca_ca	1027
\bigcirc	Czech	cs_cs	1029
\bigcirc		cs_cz	1029
\bigcirc	Welsh	cy_gb	1106
\bigcirc	Danish	da_da	1030
\bigcirc		da_dk	1030
000000	German (Swiss)	de_ch	2055
\bigcirc	German	de_de	1031
\bigcirc	Divehi	dv_dv	1125
\bigcirc	Greek	el_el	1032
\bigcirc		el gr	1032
\bigcirc	English (Canada)	en_ca	4105
\frown			4000

B: or from portal by setting it in AdminTool GUI which will be effective for everyone.



A: fr_ca en_us de_de more Preferences B: Default Values Login: Password: Domain: Image: Show the Domain field Image: Mathematical Science Advanced Keyboard: as_browser	📩 📩 📣	-		fr_ca
A: en_us de_de more Pefault Values Login: Password: Domain: Image: Show the Domain field Remember last login				fr_ca
Preferences Default Values Login: Password: Domain: Image: Show the Domain field Image: Advanced		A:		en_us
Preferences Default Values Login: Password: Domain: Image: Show the Domain field Image: Advanced				de_de
Preterences B: Default Values Login: Password: Domain: Image: Show the Domain field Image: Advanced				more
Preterences B: Default Values Login: Password: Domain: Image: Show the Domain field Image: Advanced	D (D		_ ×
Login: Password: Domain: ☑ Show the Dømain field ☑ Show the Dømain field	Preferences	B:		
Password: Domain: ✓ Show the Dømain field ✓ Remember last login	Default Values			
Domain:	Login:			
Advanced	Password:			
Advanced	Domain:			
Advanced	Domain.	L		
		Show the Dømain field	Remember last login	
Keyboard: as_browser	Advanced			
	Keyboard:	as_browser		

You should restart session if setting another language as main.

Remember: when using **HTML5 client** in mulitple language scenario go sure that language used inside Web-HTML5-RDP session is synchronized with the language actually set on your PC/Laptop/Mac etc. Else some chars that are represented and crossing in every language map may produce wrong char by sending scan code actual for another language. Also that means, if you changed the language from English to German inside web-session then change it to German on PC/Laptop/Mac too.